



**SHOW LIGHTING**  
Catalogue

**Preisliste gültig ab November 2020**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>PIXEL LED BAR Series</b>			
PIX10012-RGBW	PIXEL LED BAR RGBW 230VAC, 190W, L.100CM	2'530.00	✓
PIX05006-RGBW	PIXEL LED BAR RGBW 230VAC, 100W, L.50CM	1'650.00	✓
PIX10012-NW	PIXEL LED BAR 4000K, 230VAC, 110W, L.100CM	1'800.00	✓
PIX5006-NW	PIXEL LED BAR 4000K, 230VAC, 65W, L. 50CM	1'370.00	✓
<b>LED TUBE MEDIA VIDEOS Series</b>			
TPIX20080-RGB	TUBE MEDIA VIDEO 24Vdc, 36W, RGB, IP65, L.210CM	1'030.00	✓
TPIX15060-RGB	TUBE MEDIA VIDEO 24Vdc, 27W, RGB, IP65, L.160CM	1'030.00	✓
TPIX10040-RGB	TUBE MEDIA VIDEO 24Vdc, 18W, RGB, IP65, L.110CM	570.00	✓
TPIX05020-RGB	TUBE MEDIA VIDEO 24Vdc, 9W, RGB, IP65, L.60CM	330.00	✓
TPIX20081-RGB	TUBE MEDIA VIDEO 24Vdc, 36W, RGB, IP41, L.206CM	970.00	✓
TPIX15061-RGB	TUBE MEDIA VIDEO 24Vdc, 27W, RGB, IP41, L.156CM	970.00	✓
TPIX10041-RGB	TUBE MEDIA VIDEO 24Vdc, 18W, RGB, IP41, L.106CM	530.00	✓
TPIX05021-RGB	TUBE MEDIA VIDEO 24Vdc, 9W, RGB, IP41, L.56CM	295.00	✓
<b>ACCESSORIES</b>			
PR0005P	FEMALE CONNECTOR	18.50	✓
PR0005S	MALE CONNECTOR	18.50	✓
<b>FRESNEL LED 600 CCT (variable white)</b>			
SPTF-Z6000755-CCT	FRESNEL 230VAC, 600W, 2700K-6500K, MOTORIZED ZOOM 6°-47°, CRI>95	5'000.00	✓
SPTF-6000755-CCT	FRESNEL 230VAC, 600W, 2700K-6500K, MANUAL ZOOM 6°-47°, CRI>95	4'680.00	✓
<b>FRESNEL LED 450 RGBW</b>			
SPTFZ-4500755-RGBW	FRESNEL 230VAC, 450W, RGBW, MOTORIZED ZOOM 7°-56°, CRI>95	4'750.00	✓
SPTF-4500755-RGBW	FRESNEL 230VAC, 450W, RGBW, MANUAL ZOOM 7°-56°, CRI>95	3'960.00	✓
<b>FRESNEL LED 300 Series (cool / warm white, manual Dimm)</b>			
SPTF-Z300950DD-WW	FRESNEL 230VAC, 300W, WARM WHITE 3150K, MOTORIZED ZOOM 9°-50°, CRI>95	3'000.00	✓
SPTF-Z300950DD-W	FRESNEL 230VAC, 300W, COOL WHITE 6000K, MOTORIZED ZOOM 9°-50°, CRI>95	3'000.00	✓
SPTF-300950DD-WW	FRESNEL 230VAC, 300W, WARM WHITE 3150K, MANUAL ZOOM 9°-50°, CRI>95	2'570.00	✓
SPTF-300950DD-W	FRESNEL 230VAC, 300W, COOL WHITE 6000K, MANUAL ZOOM 9°-50°, CRI>95	2'570.00	✓
SPTF-300950D-WW	FRESNEL 230VAC, 300W, WARM WHITE 3150K, MANUAL DIMM & ZOOM 9°-50°, CRI>95	2'100.00	✓
SPTF-300950D-W	FRESNEL 230VAC, 300W, COOL WHITE 6000K, MANUAL DIMM & ZOOM 9°-50°, CRI>95	2'100.00	✓



ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>FRESNEL LED 250 Series (RGBW)</b>			
SPTF-Z2501471-RGBW	FRESNEL 230VAC, 250W, RGBW, MOTORIZED ZOOM 6°-58°, CRI>95	3'420.00	✓
SPTF-2501471-RGBW	FRESNEL 230VAC, 250W, RGBW, MANUAL ZOOM 6°-58°, CRI>95	2'770.00	✓
<b>ORO PC LED SPOT CCT / RGBW (variable white &amp; RGBW)</b>			
SPT-Z2001660TD-CCT	PC SPOT 230VAC, 160W, 2700K-6500K, MOTORIZED ZOOM 12°-51°, CRI>95	2'620.00	✓
SPT-Z2001660TD-RGBW	PC SPOT 230VAC, 160W, RGBW, MOTORIZED ZOOM 15°-60°, CRI>95	2'390.00	✓
<b>FRESNEL LED 160 Series (cool &amp; warm white)</b>			
SPTF2001066LD-WW	FRESNEL 230VAC, 160W, WARM WHITE 3150K, MOTORIZED ZOOM 14°-71°, CRI>95	2'370.00	✓
SPTF2001066LD-W	FRESNEL 230VAC, 160W, COOL WHITE 5600K, MOTORIZED ZOOM 14°-71°, CRI>95	2'370.00	✓
SPTF2001065LD-WW	FRESNEL 230VAC, 160W, WARM WHITE 3150K, MANUAL ZOOM 14°-71°, CRI>95	2'100.00	✓
SPTF2001065LD-W	FRESNEL 230VAC, 160W, COOL WHITE 5600K, MANUAL ZOOM 14°-71°, CRI>95	2'100.00	✓
<b>FRESNEL LED 110 Series (cool &amp; warm white) – NO FANS/NO NOISE</b>			
SPTF1801064LD-WW	FRESNEL 230VAC, 110W, WARM WHITE 3150K, MANUAL ZOOM 9°-57°, CRI>95	1'650.00	✓
SPTF1801064LD-W	FRESNEL 230VAC, 110W, COOL WHITE 3150K, MANUAL ZOOM 9°-57°, CRI>95	1'650.00	✓
<b>DALI PC LED Series (cool, natural &amp; warm white)</b>			
<b>DMX / RDM Control</b>			
SPTD7055-WW	PC SPOT 230VAC, 55W, WARM WHITE 3000K, ZOOM 7°-48°, CRI>95	1'100.00	✓
SPTD7055-NW	PC SPOT 230VAC, 55W, NATURAL WHITE 4000K, ZOOM 7°-48°, CRI>95	1'100.00	✓
SPTD7055-W	PC SPOT 230VAC, 55W, COOL WHITE 5700K, ZOOM 7°-48°, CRI>95	1'100.00	✓
<b>manual dimmer on board</b>			
SPTD7050P-WW	PC SPOT 230VAC, 55W, WARM WHITE 3000K, ZOOM 7°-48°, CRI>95	800.00	✓
SPTD7055P-NW	PC SPOT 230VAC, 55W, NATURAL WHITE 4000K, ZOOM 7°-48°, CRI>95	800.00	✓
SPTD7055P-W	PC SPOT 230VAC, 55W, COOL WHITE 5700K, ZOOM 7°-48°, CRI>95	800.00	✓
<b>cut phase dimmable</b>			
SPTD7050P-WW	PC SPOT 230VAC, 35W, WARM WHITE 3000K, ZOOM 7°-48°, CRI>95	630.00	✓
SPTD7055P-NW	PC SPOT 230VAC, 35W, NATURAL WHITE 4000K, ZOOM 7°-48°, CRI>95	630.00	✓
SPTD7055P-W	PC SPOT 230VAC, 35W, COOL WHITE 5700K, ZOOM 7°-48°, CRI>95	630.00	✓



ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>Accessories for Theater Spots</b>			
<b>600 &amp; 450 Series</b>			
AC1086	Bardoor 4 leaves on a rotating base	240.00	✓
AC187	Filter frame	25.00	✓
<b>300 / 250 / 110 Series</b>			
AC210	Bardoor 4 leaves on a rotating base	170.00	✓
AC180	Filter frame	23.00	✓
<b>ORO &amp; 160 Series</b>			
PR2001660	Bardoor 4 leaves on a rotating base	190.00	✓
AC181	Filter frame	24.00	✓
<b>DALI Series</b>			
PR8060	Bardoor 4 leaves on a rotating base	80.00	✓
AC182	Filter frame	21.00	✓

**LED PROFILE 450w RGBW – completely motorized!**

PRF-4501223-RGBW	Profile LED SPOT, 450W, 230Vac, RGBWhite, DMX/RDM, motorized Zoom 8°-12° & Focus, motorized independent steel shutter blades (4pcs.), motorized Iris, CRI>95	7'700.00	✓
------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------	----------	---

**LED PROFILE 300w · 11°-27° · white**

PRF-3001127D-WW	Profile LED SPOT, 300W, 230Vac, <b>warm white (3150K)</b> , Zoom 11°-27°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'440.00	✓
PRF-3001127D-W	Profile LED SPOT, 300W, 230Vac, <b>cool white (6000K)</b> , Zoom 11°-27°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'440.00	✓
PRF-3001127-WW	Profile LED SPOT, same Features like PRF-3001127D-WW, but with <b>manual Dimmer</b> on the back side	2'980.00	✓
PRF-3001127-W	Profile LED SPOT, same Features like PRF-3001127D-W, but with <b>manual Dimmer</b> on the back side	2'980.00	✓

**LED PROFILE 300w · 20°-40° · white**

PRF-3002040D-WW	Profile LED SPOT, 300W, 230Vac, <b>warm white (3150K)</b> , Zoom 11°-27°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'490.00	✓
PRF-3002040D-W	Profile LED SPOT, 300W, 230Vac, <b>cool white (6000K)</b> , Zoom 11°-27°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'490.00	✓
PRF-3002040-WW	Profile LED SPOT, same Features like PRF-3001127D-WW, but with <b>manual Dimmer</b> on the back side	3'030.00	✓
PRF-3002040-W	Profile LED SPOT, same Features like PRF-3001127D-W, but with <b>manual Dimmer</b> on the back side	3'030.00	✓



ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>LED PROFILE 250w · RGBW</b>			
PRF-2501223-RGBW	Profile LED SPOT, 250W, 230Vac, RGBWhite, Zoom <b>12°-23°</b> , Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'530.00	✓
PRF-2501223-RGBW	Profile LED SPOT, 250W, 230Vac, RGBWhite, Zoom <b>23°-35°</b> , Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'480.00	✓
<b>LED PROFILE 160w · 18°-35° · white</b>			
PRF-1802035BD-WW	Profile LED SPOT, 160W, 230Vac, <b>warm white (3000K)</b> , Zoom 18°-35°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	2'940.00	✓
PRF-1802035BD-NW	Profile LED SPOT, 160W, 230Vac, <b>natural white (4000K)</b> , Zoom 18°-35°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	2'940.00	✓
PRF-1802035BD-W	Profile LED SPOT, 160W, 230Vac, <b>warm white (5700K)</b> , Zoom 18°-35°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	2'940.00	✓
PRF-1802035B-WW	Profile LED SPOT, same Features like PRF-1802035BD-WW, but with <b>manual Dimmer</b> on the back side	2'360.00	✓
PRF-1802035B-NW	Profile LED SPOT, same Features like PRF-1802035BD-NW, but with <b>manual Dimmer</b> on the back side	2'360.00	✓
PRF-1802035B-W	Profile LED SPOT, same Features like PRF-1802035BD-W, but with <b>manual Dimmer</b> on the back side	2'360.00	✓
<b>GIOVE MK2 LED PROFILE 200w · 26° · RGBWAL</b>			
PRF-21526D-RGBWAL	Profile LED SPOT, 200W, RGBWAL (red, green, blue, white, amber & lime), <b>26°</b> , Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	TBA	✓
<b>LED PROFILE 120w · 14°-30° · RGBW</b>			
PRF-1201328-RGBW	Profile LED SPOT, 250W, 230Vac, <b>RGBWhite</b> , Zoom <b>14°-30°</b> , Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	2'540.00	✓
<b>BARIO LED PROFILE 120w · 19°-35° (cool, natural &amp; warm white)</b>			
<b>DMX / RDM Control</b>			
PRF-0501935D-WW	Profile LED SPOT, 55W, 230Vac, <b>warm white (3000K)</b> , Zoom <b>19°-35°</b> , Focus, Diameter, 4 Steel Shutter Blades included, (Iris optional), CRI>95	1'580.00	✓
PRF-0501935D-NW	Profile LED SPOT, 55W, 230Vac, <b>natural white (4000K)</b> , Zoom <b>19°-35°</b> , Focus, Diameter, 4 Steel Shutter Blades included, (Iris optional), CRI>95	1'580.00	✓
PRF-0501935D-W	Profile LED SPOT, 55W, 230Vac, <b>cool white (5700K)</b> , Zoom <b>19°-35°</b> , Focus, Diameter, 4 Steel Shutter Blades included, (Iris optional), CRI>95	1'580.00	✓



ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>manual dimmer on board</b>			
PRF-0501935-WW	Profile LED SPOT, same Features like PRF-0501935D-WW, but with <b>manual Dimmer</b> on the back side	1'350.00	✓
PRF-0501935-NW	Profile LED SPOT, same Features like PRF-0501935D-NW, but with <b>manual Dimmer</b> on the back side	1'350.00	✓
PRF-0501935-W	Profile LED SPOT, same Features like PRF-0501935D-W, but with <b>manual Dimmer</b> on the back side	1'350.00	✓
<b>cut phase dimmable</b>			
PRF-0351935-WW	Profile LED SPOT, same Features like PRF-0501935D-WW, but 35W & dimmable by a cut phase dimmer	990.00	✓
PRF-0351935-NW	Profile LED SPOT, same Features like PRF-0501935D-NW, but 35W & dimmable by a cut phase dimmer	990.00	✓
PRF-0351935-W	Profile LED SPOT, same Features like PRF-0501935D-W, but 35W & dimmable by a cut phase dimmer	990.00	✓

**SHADOW LED PROFILE 60w · 19°-36° · RGBW** **smart Series**

PRF-0611936N-RGBW	Profile LED SPOT, 60W, 230Vac, <b>RGBWhite</b> , Zoom <b>19°-36°</b> , Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	1'490.00	new
-------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------	----------	-----

**SHADOW LED PROFILE 45w · 19°-36° · cool, natural & warm white** **smart Series**

PRF-0451936N-WW	Profile LED SPOT, 45W, 230Vac, <b>warm white 3000K</b> , Zoom <b>19°-36°</b> , Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	1'220.00	new
PRF-0451936N-NW	Profile LED SPOT, 45W, 230Vac, <b>natural white 4000K</b> , Zoom <b>19°-36°</b> , Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	1'220.00	new
PRF-0451936N-W	Profile LED SPOT, 45W, 230Vac, <b>cool white 5100K</b> , Zoom <b>19°-36°</b> , Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	1'220.00	new

**SHADOW LED PROFILE 30w · 26° · cool & warm white** **mini Series**

PRF-0451936N-WW	Profile LED SPOT, 30W, 230Vac, <b>warm white 3000K</b> , 26°, Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	650.00	new
PRF-0451936N-W	Profile LED SPOT, 30W, 230Vac, <b>cool white 5100K</b> , Zoom 26°, Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	650.00	new

**Accessories for Profile Spots**
**450 / 300 / 250 / 160 / 120 Series**

AC819	Gobo Holder (for all models above)	65.00	✓
AC837	Iris (for all models above, except. 450)	230.00	✓



**SHOW LIGHTING**  
Catalogue

**Preisliste gültig ab November 2020**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>GIOVE MK2 &amp; BARIO</b>			
AC2100	Gobo Holder (for GIOVE MK2 Profile)	97.00	✓
AC830	Iris (for BARIO Profile)	200.00	✓
<b>SHADOW Spot Profile 60 &amp; 45 (smart) Series</b>			
AC0611936	Gobo Holder (for Gobo Ø 37,5mm / Image Ø 26mm)	TBA	new
APL2443N	Track Adaptor (for Eurotrack dimmable standard)	28.00	new
<b>MINI SHADOW Spot Profile 30 (mini) Series</b>			
AC03026	Gobo Holder (for Gobo Ø 37,5mm / Image Ø 24mm)	TBA	new
APL2443N	Track Adaptor (for Eurotrack dimmable standard)	28.00	new
BA03019	19° Beam Optics Profiler (Gobo Holder included)	320.00	new
BA03036	36° Beam Optics Profiler (Gobo Holder included)	320.00	new
BA03050	50° Beam Optics Profiler (Gobo Holder included)	320.00	new

### LED FLOOD LIGHT 100/200w · (integrated Barndoor 4 leaves) MARTE Series

FDL-100120DD95-CCT	MARTE 100 CCT, 100W, 230Vac, <b>color temperature adjustable (3000-5700K)</b> , 120°, DMX/RDM, <b>2 Potentiometers</b> for C.Temperatur & Dimmer, max. Noise: 0 dB, CRI>95	1'650.00	✓
FDL-100120DD-CCT	MARTE 100 CCT, 100W, 230Vac, <b>color temperature adjustable (3000-5700K)</b> , 120°, DMX/RDM, <b>without Knobs</b> adjustment, max. Noise: 0 dB, CRI>95	1'440.00	✓
FDL-200120DD95-CCT	MARTE 200 CCT, 200W, 230Vac, <b>color temperature adjustable (3000-5700K)</b> , 120°, DMX/RDM, <b>2 Potentiometers</b> for C.Temperatur & Dimmer, max. Noise: 0 dB, CRI>95	2'300.00	✓
FDL-200120DD-CCT	MARTE 200 CCT, 200W, 230Vac, <b>color temperature adjustable (3000-5700K)</b> , 120°, DMX/RDM, <b>without Knobs</b> adjustment, max. Noise: 0 dB, CRI>95	2'160.00	✓

### LED FLOOD LIGHT 200 / 300w · (130° asymmetrical) SCENA Series

FDL-220100A-RGBW	SCENA 200 RGBW, <b>200W</b> , 230Vac, <b>RGBWhite</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	1'730.00	✓
FDL-220100A-WW	SCENA 200 RGBW, <b>200W</b> , 230Vac, <b>warm white (3000K)</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	1'730.00	✓
FDL-220100A-W	SCENA 200 RGBW, <b>200W</b> , 230Vac, <b>cool white (5700K)</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	1'730.00	✓
FDL-320100A-RGBW	SCENA 300 RGBW, <b>300W</b> , 230Vac, <b>RGBWhite</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	2'680.00	✓
FDL-320100A-WW	SCENA 300 RGBW, <b>300W</b> , 230Vac, <b>warm white (3000K)</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	2'680.00	✓
FDL-320100A-W	SCENA 300 RGBW, <b>300W</b> , 230Vac, <b>cool white (5700K)</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	2'680.00	✓

#### ACCESSORIES

PR220100	Barndoor 4 leaves (for SCENA 200W)	195.00	✓
PR320100	Barndoor 4 leaves (for SCENA 300W)	220.00	✓



**SHOW LIGHTING**  
Catalogue

**Preisliste gültig ab November 2020**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>LED PAR · RGBWA</b>		<b>IP65</b>	
AR3333-RGBWA	PAR LED RGBWA, 90W, 100-240Vac, <b>RGBWA</b> , 35°, <b>IP65</b> , max. Noise: 0 dB, CRI>95	720.00	✓
<b>LED PAR · RGBWAL</b>		<b>SUPER PAR 200</b>	
PAR-20035RGBAL	PAR LED RGBWA, <b>200W</b> , 100-240Vac, <b>RGBWAL</b> , 35°, <b>max. Noise: 0 dB</b> , CRI>95	2'820.00	✓
PAR-20020RGBAL	PAR LED RGBWA, <b>200W</b> , 100-240Vac, <b>RGBWAL</b> , 20°, <b>max. Noise: 0 dB</b> , CRI>95	2'820.00	✓
<b>LED FOLLOWSPOT · MOTORIZED · Controller included</b>		<b>450W / 650W</b>	
FS-S-4500811-RGBW	Followspot LED, <b>450W</b> , 230Vac, RGBW, CRI≥95, Focus and Zoom 7°-10° adjustable, mechanical blackout, DMX/RDM or Manual by <b>dedicated on-board (big) console</b> , <b>Functions:</b> motorized Focus, motorized Iris, digital color mixing with 4 preset colors and 4 color-preset memorization button recall, linear digital dimmer, fast digital Blackout, motorized profile-shutter on horizontal axis, motorized profile-shutter on horizontal axis, manual rotation of the shaped light, manual zoom adjustable from 7° to 10°. Seat equipped for inserting the gobo holder, max. Noise: 25 dB	7'200.00	new
FS-L-4500811-RGBW	Followspot LED, <b>450W</b> , 230Vac, RGBW, CRI≥95, Focus and Zoom 7°-10° adjustable, mechanical blackout, DMX/RDM or Manual by <b>dedicated on-board (small) console</b> , <b>Functions:</b> manual Focus, manual Iris, digital color mixing with 4 preset colors and 2 color-preset memorization button recall, linear digital dimmer, fast digital Blackout, manual profile system, manual zoom adjustable from 7°-10°. Seat equipped for inserting the gobo holder, max. Noise: 25 dB	4'890.00	new
FS-S-6001345-W	Followspot LED, <b>650W</b> , 230Vac, RGBW, CRI≥95, Focus and Zoom 7°-11° adjustable, mechanical blackout, DMX/RDM or Manual by <b>dedicated on-board (medium) console</b> , <b>Functions:</b> motorized Focus, motorized Iris, colors wheel, button color recall linear digital dimmer, fast digital Blackout, motorized profile-shutter on horizontal axis, motorized profile-shutter on horizontal axis, manual zoom adjustable from 7° to 11°. Seat equipped for inserting the gobo holder, max. Noise: 25 dB	8'640.00	new
<b>LED FOLLOWSPOT · manual control</b>		<b>650W / 300W</b>	
FS-6000710DP-W	Followspot LED, <b>650W</b> , 230Vac, 6000K, CRI≥95, Focus and Zoom 7°-10° adjustable, supplied with manually adjustable internal beam-shaping system by four steel blades, ready for inclusion of iris (included) and gobo holder (optional). Manual color-changers system for 6 color filters and blackout, max. Noise: 25 dB	4'990.00	✓
FS-3001116DP-W	Followspot LED, <b>300W</b> , 230Vac, 6000K, CRI≥95, Focus and Zoom 11°-16° adjustable, supplied with manually adjustable internal beam-shaping system by four steel blades, ready for inclusion of iris (included) and gobo holder (optional). Manual color-changers system for 6 color filters and blackout, max. Noise: 25 dB	4'100.00	✓
<b>Accessories for Follow Spots</b>			
AC819	Gobo Holder (for all models above)	65.00	✓
AC318N	Followspot Stand Type-5 (max. height: 175cm / min. height: 153cm, Loading: 40 kg)	360.00	✓







